

## Standard made of AMAPLAST, protection type IP 44<sup>1)</sup>, IP 67

pre-wired for installation, enclosure front cover electric grey RAL 7035. Hinged to the side (except enclosure size 130 x 225 mm and 650 x 112.5 mm). Fusing behind a transparent cover. For more combinations in various national standards, please contact us. For drawings and dimensions see page 167.

<sup>1)</sup> See comment on page 45 to protection degree IP 44 for portable combinations.



|                                               |
|-----------------------------------------------|
| <b>CEE receptacles</b>                        |
|                                               |
| <b>CEE receptacles</b>                        |
|                                               |
| <b>Receptacles NF</b>                         |
| 5 NF 16A, 2p+E, 230V                          |
| <b>Fusing</b>                                 |
| 1 RCD 25A, 2p, 0.03A                          |
| <b>Connection</b>                             |
| 2 m H07RN-F3G2.5 with NF-plug 16A, 2p+E, 230V |
| <b>Enclosure size</b>                         |
| 260 x 225 mm (H x W)                          |
| <b>Part no.</b>                               |
| <b>920046</b>                                 |



|                                            |
|--------------------------------------------|
| <b>CEE receptacles</b>                     |
|                                            |
| <b>CEE receptacles</b>                     |
|                                            |
| <b>Receptacles Danish standard</b>         |
| 6 x 13A, 2p+E, 230V                        |
| <b>Fusing</b>                              |
| 1 RCD 40A, 4p, 0.03A<br>6 MCB's 13A, 1p, C |
| <b>Connection</b>                          |
| 2 m H07RN-F5G4 with CEE-plug 32A, 5p, 400V |
| <b>Enclosure size</b>                      |
| 390 x 225 mm (H x W)                       |
| <b>Part no.</b>                            |
| <b>931451</b>                              |



|                                                                |
|----------------------------------------------------------------|
| <b>CEE receptacles</b>                                         |
| 1 CEE 32A, 5p, 400V<br>1 CEE 16A, 5p, 400V                     |
| <b>CEE receptacles</b>                                         |
|                                                                |
| <b>Receptacles British standard</b>                            |
| 3 x 13A, 2p+E                                                  |
| <b>Fusing</b>                                                  |
| 1 RCD 40A, 4p, 0.03A<br>1 MCB 16A, 3p, C<br>3 MCB's 13A, 1p, C |
| <b>Connection</b>                                              |
| 2 m H07RN-F5G4 with CEE-plug 32A, 5p, 400V                     |
| <b>Enclosure size</b>                                          |
| 390 x 225 mm (H x W)                                           |
| <b>Part no.</b>                                                |
| <b>931237</b>                                                  |



|                                                                   |
|-------------------------------------------------------------------|
| <b>CEE receptacles</b>                                            |
|                                                                   |
| <b>CEE receptacles</b>                                            |
| 3 CEE 16A, 3p, 230V<br>switched, with mechanical<br>DUO interlock |
| <b>Receptacles SCHUKO®</b>                                        |
|                                                                   |
| <b>Fusing</b>                                                     |
| 1 RCD 40A, 4p, 0.03A<br>1 MCB 16A, 3p+N, C                        |
| <b>Connection</b>                                                 |
| 4 m H07RN-F5G2.5 with CEE-plug 16A, 5p, 400V                      |
| <b>Enclosure size</b>                                             |
| 520 x 225 mm (H x W)                                              |
| <b>Part no.</b>                                                   |
| <b>940030</b>                                                     |

## Standard made of AMAPLAST, protection type IP 44<sup>1)</sup>

pre-wired for installation, back box in black, cover available in red (RO), yellow (GE) or silver (SI).

Other combinations on request.

<sup>1)</sup> See comment on page 45 to protection degree IP 44 for portable combinations.



### Fitted with

4 NF 16A, 2p+E, 230V

### Fusing

1 RCD 25A, 2p, 0.03A  
1 MCB 16A, 1p+N, C

### Connection/feeder cable

2 m H07RN-F5G2,5 with  
NF-plug 16A, 2p+E, 230V

### Part no.

**9401291GE**



### Fitted with

1 CEE 16A, 4p, 400V  
3 NF 16A, 2p+E, 230V

### Fusing

### Connection/feeder cable

3 m H07RN-F5G2.5 with  
CEE-plug 16A, 5p, 400V

### Part no.

**9400571GE**



### Fitted with

1 CEE 16A, 5p, 400V  
3 SCHUKO® 16A, 2p+E,  
230V

### Fusing


1 MCB 16A, 3p, C  
1 MCB 16A, 1p, B

### Connection/feeder cable

3 m H07RN-F5G4 with  
CEE-plug 32A, 5p, 400V

### Part no.

**94559RO**



### Set of chains

for fixing AirKRAFT® to the  
ceiling

**Part no. 106060**



### Pneumatic connection

for 3KRAFT® and  
AirKRAFT®

for tube dia. 9 mm

**Part no. 208620**

for tube dia. 13 mm

**Part no. 208621**

duplex

When used in 3KRAFT® and  
AirKRAFT® an additional  
one-way pneumatic quick  
connect part no. 208620 or  
208621) is still needed!


**Part no. 41442**

## Standard made of AMAPLAST, protection type IP 44<sup>1)</sup>

pre-wired for installation, back box in black, cover available in red (RO), yellow (GE) or silver (SI).

Other combinations on request.

<sup>1)</sup> See comment on page 45 to protection degree IP 44 for portable combinations.



### Fitted with

3 SCHUKO® 16A, 230V


### Fusing

### Connection/feeder cable

3 m H07RN-F3G1,5  
with plug SCHUKO®  
16A, 230V

### Part no.

**94357RO**



### Fitted with

1 CEE 16A, 5p, 400V  
2 NF 16A, 2p+E, 230V


### Fusing

### Connection/feeder cable

3 m H07RN-F5G2.5 with  
CEE-plug 16A, 5p, 400V

### Part no.

**94356FG**



### Set of chains

for fixing 3KRAFT® to the  
ceiling

**Part no. 106123**



### Pneumatic connection

for 3KRAFT® and  
AirKRAFT®

for tube dia. 9 mm

**Part no. 208620**

for tube dia. 13 mm

**Part no. 208621**

duplex

When used in 3KRAFT® and  
AirKRAFT® an additional  
one-way pneumatic quick  
connect part no. 208620 or  
208621) is still needed!

**Part no. 41442**

## Standard made of AMAPLAST, protection type IP 44<sup>1)</sup> / IP 67 / IP 68

pre-wired for installation, with cable grip and installed hanging hook.

Other combinations on request.

<sup>1)</sup> See comment on page 45 to protection degree IP 44 for portable combinations.



### Fitted with

3 CEE 16A, 5p, 400V

### Protection type

IP 44

### Connection/feeder cable

2 m H07RN-F5G2.5 with  
CEE-plug 16A, 5p, 400V

### Part no.

**92914**



### Fitted with

3 CEE 16A, 5p, 400V

### Protection type

IP 67

### Connection/feeder cable

2 m H07RN-F5G2.5 with  
CEE-plug 16A, 5p, 400V

### Part no.

**92909**



### Fitted with

3 SCHUKO® 16A, 230V  
bayonet lock lid attached

### Protection type

IP 68

### Connection/feeder cable

1.5 m H07RN-F3G2.5 with  
plug SCHUKO® 16A, 230V

### Part no.

**92386**



### Pneumatic connection

for DELTA-BOX and mobile  
receptacle combinations

for tube dia. 9 mm,  
Part no. 41440

for tube dia. 13 mm,  
Part no. 41441

**Part no. 41440**

**Part no. 41441**

### Hanging clip

supplied with every  
DELTA-BOX.




## Solid rubber enclosure, signal yellow, protection type IP 44<sup>1)</sup>

pre-wired for installation

Other combinations on request

<sup>1)</sup> See comment on page 45 to protection degree IP 44 for portable combinations.



**5 MB 48a**

**Enclosure size: 300 x 230 x 287,5 mm**



### Fitted with

2 CEE 16A, 5p, 400V  
4 SCHUKO® 16A, 230V

### Fusing

1 RCD 40A, 4p, 0.03A  
2 MCB's 16A, 3p, C  
2 MCB's 16A, 1p, B

### Connection/feeder cable

2 m H07RN-F5G4 with  
CEE-plug 32A, 5p, 400V

### Part no.

**70436**



### Fitted with

2 CEE 16A, 5p, 400V  
4 SCHUKO® 16A, 230V

### Fusing


1 RCD 40A, 4p, 0.03A  
2 MCB's 16A, 3p, C  
2 MCB's 16A, 1p, B

### Connection/feeder cable

1 inlet 32A, 5p, 400V

### Part no.

**70437**



**5 MB 43**

**Enclosure size: 360 x 340 x 330 mm**



### Fitted with

2 CEE 16A, 5p, 400V  
4 SCHUKO® 16A, 230V

### Fusing

1 RCD 40A, 4p, 0.03A  
2 MCB's 16A, 1p, B

### Connection/feeder cable

2 m H07RN-F5G2.5 with  
CEE-plug 16A, 5p, 400V

### Part no.

**70412**



### Fitted with

2 CEE 16A, 5p, 400V  
4 SCHUKO® 16A, 230V

### Fusing

1 RCD 40A, 4p, 0.03A  
2 MCB's 16A, 1p, B

### Connection/feeder cable

1 inlet 16A, 5p, 400V

### Part no.

**70410**

## Solid rubber enclosure, signal yellow, protection type IP 44<sup>1)</sup>

pre-wired for installation

Other combinations on request

<sup>1)</sup> See comment on page 45 to protection degree IP 44 for portable combinations.



### Fitted with

2 CEE 16A, 5p, 400V  
4 SCHUKO® 16A, 230V

### Fusing

1 RCD 40A, 4p, 0.03A

### Connection/feeder cable

2 m H07RN-F5G2.5 with  
CEE-plug 16A, 5p, 400V

### Part no.

**70352**



### Fitted with

2 CEE 16A, 5p, 400V  
4 SCHUKO® 16A, 230V

### Fusing

1 RCD 40A, 4p, 0.03A

### Connection/feeder cable

1 inlet 16A, 5p, 400V

### Part no.

**70350**



### Fitted with

2 CEE 16A, 5p, 400V  
4 SCHUKO® 16A, 230V

### Fusing

### Connection/feeder cable

2 m H07RN-F5G2.5 with  
CEE-plug 16A, 5p, 400V

### Part no.

**70434**



### Fitted with

2 CEE 16A, 5p, 400V  
4 SCHUKO® 16A, 230V

### Fusing

### Connection/feeder cable

1 inlet 16A, 5p, 400V

### Part no.

**70435**



### Fitted with

1 CEE 32A, 5p, 400V  
1 CEE 16A, 5p, 400V  
4 SCHUKO® 16A, 230V

### Fusing

1 RCD 40A, 4p, 0.03A  
1 MCB 16A, 3p, C  
2 MCB's 16A, 1p, B

### Connection/feeder cable

2 m H07RN-F5G4 with  
CEE-plug 32A, 5p, 400V

### Part no.

**70351**



### Fitted with

1 CEE 32A, 5p, 400V  
1 CEE 16A, 5p, 400V  
4 SCHUKO® 16A, 230V

### Fusing

1 RCD 40A, 4p, 0.03A  
1 MCB 16A, 3p, C  
2 MCB's 16A, 1p, B

### Connection/feeder cable

1 inlet 32A, 5p, 400V

### Part no.

**70349**



### Fitted with

1 CEE 32A, 5p, 400V  
2 CEE 16A, 5p, 400V  
4 SCHUKO® 16A, 230V

### Fusing

1 RCD 40A, 4p, 0.03A  
2 MCB's 16A, 3p, C  
2 MCB's 16A, 1p, B

### Connection/feeder cable

3 m H07RN-F5G4 with  
CEE-plug 32A, 5p, 400V

### Part no.

**70734**



### Fitted with

1 CEE 32A, 5p, 400V  
2 CEE 16A, 5p, 400V  
4 SCHUKO® 16A, 230V

### Fusing

1 RCD 40A, 4p, 0.03A  
2 MCB's 16A, 3p, C  
2 MCB's 16A, 1p, B

### Connection/feeder cable

1 inlet 32A, 5p, 400V

### Part no.

**70531**

## Solid rubber enclosure, signal yellow, protection type IP 44<sup>1)</sup>

pre-wired for installation

Other combinations on request

<sup>1)</sup> See comment on page 45 to protection degree IP 44 for portable combinations.



### Fitted with

1 CEE 32A, 5p, 400V  
1 CEE 16A, 5p, 400V  
8 SCHUKO® 16A, 230V

### Fusing

1 RCD 40A, 4p, 0.03A  
1 MCB 16A, 3p, C  
4 MCB's 16A, 1p, B

### Connection/feeder cable

3 m H07RN-F5G4 with  
CEE-plug 32A, 5p, 400V

### Part no.

**70448**



### Fitted with

1 CEE 32A, 5p, 400V  
1 CEE 16A, 5p, 400V  
8 SCHUKO® 16A, 230V

### Fusing

1 RCD 40A, 4p, 0.03A  
1 MCB 16A, 3p, C  
4 MCB's 16A, 1p, B

### Connection/feeder cable

1 inlet 32A, 5p, 400V

### Part no.

**70449**



### Fitted with

2 CEE 32A, 5p, 400V  
2 CEE 16A, 5p, 400V  
4 SCHUKO® 16A, 230V

### Fusing

1 RCD 63A, 4p, 0.03A  
2 MCB's 32A, 3p, C  
2 MCB's 16A, 3p, C  
2 MCB's 16A, 1p, B

### Connection/feeder cable

3 m H07RN-F5G10 with  
CEE-plug 63A, 5p, 400V

### Part no.

**70442**



### Fitted with

2 CEE 32A, 5p, 400V  
2 CEE 16A, 5p, 400V  
4 SCHUKO® 16A, 230V

### Fusing

1 RCD 63A, 4p, 0.03A  
2 MCB's 32A, 3p, C  
2 MCB's 16A, 3p, C  
2 MCB's 16A, 1p, B

### Connection/feeder cable

1 inlet 63A, 5p, 400V

### Part no.

**70443**



### Fitted with

2 CEE 32A, 5p, 400V  
2 CEE 16A, 5p, 400V  
4 SCHUKO® 16A, 230V

### Fusing

1 RCD 40A, 4p, 0.03A  
2 MCB's 16A, 3p, C  
2 MCB's 16A, 1p, B

### Connection/feeder cable

3 m H07RN-F5G4 with  
CEE-plug 32A, 5p, 400V

### Part no.

**70444**



### Fitted with

2 CEE 32A, 5p, 400V  
2 CEE 16A, 5p, 400V  
4 SCHUKO® 16A, 230V

### Fusing

1 RCD 40A, 4p, 0.03A  
2 MCB's 16A, 3p, C  
2 MCB's 16A, 1p, B

### Connection/feeder cable

1 inlet 32A, 5p, 400V

### Part no.

**70445**



### Fitted with

6 NF 16A, 2p+E, 230V

### Fusing

1 RCD 40A, 4p, 0.03A  
3 MCB's 16A, 1p, C  
1 off button  
1 indicator light green

### Connection/feeder cable

1 gland M 25 with  
anti-kink device

### Part no.

**7403921**



### Fitted with

1 CEE 32A, 4p, 400V  
4 NF 16A, 2p+E, 230V

### Fusing

1 RCD 40A, 4p, 0.03A  
1 MCB 32A, 3p, C  
2 MCB's 16A, 1p+N, C  
1 off button  
1 indicator light green

### Connection/feeder cable

1 gland M 25 with  
anti-kink device

### Part no.

**7402417**



Receptacle combinations

## Solid rubber enclosure, signal yellow, protection type IP 44<sup>1)</sup>

pre-wired for installation

Other combinations on request

<sup>1)</sup> See comment on page 45 to protection degree IP 44 for portable combinations.



Fitted with  
6 SCHUKO® 16A, 230V

Fusing

Connection/feeder cable  
2 m H07RN-F3G1.5 with  
plug SCHUKO® 16A, 230V

Part no.  
**70026**




Fitted with  
6 SCHUKO® 16A, 230V

Fusing

Connection/feeder cable  
2 m H07RN-F5G2.5 with  
CEE-plug 16A, 5p, 400V

Part no.  
**70031**



**5 MB 44**

**Enclosure size: 445 x 135 mm**



Fitted with  
1 CEE 16A, 5p, 400V  
4 SCHUKO® 16A, 230V

Fusing

Connection/feeder cable  
2 m H07RN-F5G2.5 with  
CEE-plug 16A, 5p, 400V

Part no.  
**70028**



Fitted with  
3 CEE 16A, 5p, 400V

Fusing

Connection/feeder cable  
2 m H07RN-F5G2.5 with  
CEE-plug 16A, 5p, 400V

Part no.  
**70029**

## Solid rubber enclosure, signal yellow, protection type IP 44<sup>1)</sup>

pre-wired for installation

Other combinations on request

<sup>1)</sup> See comment on page 45 to protection degree IP 44 for portable combinations.

|                                                                                     |                                                                                     |                                                                                                          |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|    |    |                        |    |
| <b>Fitted with</b><br>3 CEE 32A, 5p, 400V                                           | <b>Fitted with</b><br>4 SCHUKO® 16A, 230V                                           | <b>Fitted with</b><br>4 SCHUKO® 16A, 230V                                                                | <b>Fitted with</b><br>1 CEE 16A, 5p, 400V<br>2 SCHUKO® 16A, 230V                      |
| <b>Fusing</b>                                                                       | <b>Fusing</b><br>1 RCD 25A, 2p, 0.03A                                               | <b>Fusing</b><br>1 RCD 40A, 4p, 0.03A                                                                    | <b>Fusing</b><br>1 RCD 40A, 4p, 0.03A<br>2 MCB's 16A, 1p, B                           |
| <b>Connection/feeder cable</b><br>2 m H07RN-F5G4 with<br>CEE-plug 32A, 5p, 400V     | <b>Connection/feeder cable</b><br>2 m H07RN-F3G1.5 with<br>plug SCHUKO® 16A, 230V   | <b>Connection/feeder cable</b><br>2 m H07RN-F3G2.5 with<br>CEE-plug 16A, 5p, 400V                        | <b>Connection/feeder cable</b><br>2 m H07RN-F5G2.5 with<br>CEE-plug 16A, 5p, 400V     |
| <b>Part no.</b><br><b>70034</b>                                                     | <b>Part no.</b><br><b>70027</b>                                                     | <b>Part no.</b><br><b>70032</b>                                                                          | <b>Part no.</b><br><b>70033</b>                                                       |
|  |  |                      |  |
| <b>Fitted with</b><br>1 CEE 32A, 5p, 400V<br>2 SCHUKO® 16A, 230V                    | <b>Fitted with</b><br>1 CEE 32A, 5p, 400V<br>6 SCHUKO® 16A, 230V                    | <b>Fitted with</b><br>4 NF 16A, 2p+E, 230V                                                               | <b>Fitted with</b><br>6 NF 16A, 2p+E, 230V                                            |
| <b>Fusing</b><br>1 RCD 40A, 4p, 0.03A<br>2 MCB's 16A, 1p, B                         | <b>Fusing</b><br>1 RCD 40A, 4p, 0.03A<br>3 MCB's 16A, 1p, B                         | <b>Fusing</b><br>1 RCD 25A, 2p, 0.03A<br>2 MCB's 16A, 1p+N, C<br>1 off button<br>1 indicator light green | <b>Fusing</b><br>1 RCD 25A, 2p, 0.03A                                                 |
| <b>Connection/feeder cable</b><br>2 m H07RN-F5G4 with<br>CEE-plug 32A, 5p, 400V     | <b>Connection/feeder cable</b><br>2 m H07RN-F5G4 with<br>CEE-plug 32A, 5p, 400V     | <b>Connection/feeder cable</b><br>1 gland M 20 with<br>anti-kink device                                  | <b>Connection/feeder cable</b><br>2 m H07RN-F5G2.5 with<br>NF-plug 16A, 2p+E, 230V    |
| <b>Part no.</b><br><b>70030</b>                                                     | <b>Part no.</b><br><b>70106</b>                                                     | <b>Part no.</b><br><b>7101836</b>                                                                        | <b>Part no.</b><br><b>70571</b>                                                       |